

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

HARDY DECIDUOUS TREES AND SHRUBS

| | | QUANTITY FOR QUOTATION | |
|---|------------------------|------------------------|-------|
| ALBIZZIA JULIBRISSIN—Silk Tree | 3 to 4 feet | | |
| AZALEA ARBORESCENS—Sweet White Azalea | 2 to 3 feet | | |
| ARONIA MELANOCARPA—Black Chokeberry | 1 to 2 feet | | |
| AZALEA CALENDULACEA—Flame Azalea | 2 to 3 feet | | |
| 3 to 4 feet | | | |
| Cut-back clumps | | | |
| AZALEA CANESCENS—Piedmont Azalea | Cut-back clumps | | |
| AZALEA NUDIFLORA—Pinxter Bloom | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| Cut-back clumps | | | |
| AZALEA VASEYI—Pink-shell Azalea | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| Cut-back clumps | | | |
| CHIONANTHUS VIRGINICA—White Fringe-tree | 1 to 2 feet | | |
| 4 to 5 feet | | | |
| CORNUS FLORIDA—White Flowering Dogwood | 2 to 3 feet | | |
| 3 to 4 feet | | | |
| 6 to 8 feet | | | |
| CORNUS FLORIDA RUBRA—Red-Flowering Dogwood | 3 to 4 feet | | |
| 6 to 8 feet | | | |
| FORSYTHIA SUSPensa—Weeping Forsythia | 2 to 3 feet | | |
| FORSYTHIA VIRIDISSIMA—Greenstem Forsythia | 2 to 3 feet | | |
| HALESIA TETRAPTERA—Great Silverbell | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| HYDRANGAEA PANICULATA GRANDIFLORA—Large-panicked H. | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| HYDRANGAEA RADIATA—Silverleaf Hydrangea | 2 to 3 feet | | |
| HYPERICUM DENSIFLORUM—Common St. John's—Wort. | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| HYDRANGAEA PROLIFICUM—Shrubby St. John's—Wort. | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| LARIX LARICINIA—American Larch | 6 to 8 feet | | |
| LEUCOTHOE RECURVA—Redtwig Leucothoe | 2 to 3 feet | | |
| OXYDENDRUM ARBOREUM—Sourwood | 2 to 3 feet | | |
| 3 to 4 feet | | | |
| 4 to 5 feet | | | |
| QUERCUS ALBA—White Oak | 1 to 2 feet | | |
| QUERCUS PHELLOS—Willow Oak | 1 to 2 feet | | |
| RHUS CANADENSIS—Fragrant Sumac | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| RHUS COPALLINA—Shining Sumac | 1 to 2 feet, Collected | | |
| ROBINA HISPIDA—Rose Acacia | 1 to 2 feet, Collected | | |
| 2 to 3 feet | | | |
| ROSA SETIGERA—Prairie Rose | 1 to 2 feet | | |
| RUBUS ODORATUS—Flowering Raspberry | 1 to 2 feet | | |
| VACCINIUM PALLIDUM—Blue Ridge Blueberry | 8 to 3 feet | | |
| VIBURNUM CASSINOIDES—Withe-Rod | 2 to 4 feet | | |
| 4 to 6 feet | | | |
| VIBURNUM DENTATUM—Arrowwood | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| ZANTHORRHA APIIFOLIA—Yellow-root | 4 to 6 inches | | |
| 6 to 12 inches | | | |
| 1 to 2 feet | | | |

NATIVE EVERGREEN TREES AND SHRUBS

| | | | |
|-------------------------------------|------------------------|-------|-------|
| ABIES FRASERI—Fraser Fir | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| 6 to 8 feet | | | |
| 8 to 10 feet | | | |
| BUXUS SUFFRUTICOSA—Old English Box | 1 to 2 feet | | |
| BUXUS SEMPERVIRENS—Common Box | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| CHAMAEDAPHNE CALYCVLATA—Leatherleaf | 1 to 2 feet | | |
| ILEX GLABRA—Inkberry | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| Cut-back clumps | | | |
| ILEX OPACA—American Holly | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| KALMIA LATIFOLIA—Mountain Laurel | 4 to 12 inch Seedlings | | |
| 1 to 2 feet | | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| 4 to 6 feet | | | |
| LEUCOTHOE CATESBAEI | 6 to 12 inches | | |
| 1 to 2 feet | | | |
| Cut-back clumps | | | |

| | | QUANTITY FOR QUOTATION | |
|---|-----------------------|------------------------|-------|
| MAGNOLIA GLAUCA—Sweetbay | 5 to 6 feet | | |
| NANDINA DOMESTICA—Japanese Nandina | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| PICEA CANADENSIS—White Spruce | 3 to 4 feet | | |
| 4 to 6 feet | | | |
| PICEA EXCELSA—Norway Spruce | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| 4 to 6 feet | | | |
| 6 to 8 feet | | | |
| PICEA MARIANA—Black Spruce | 2 to 3 feet | | |
| 3 to 4 feet | | | |
| 4 to 5 feet | | | |
| PICEA PUNGENS—Colorado Spruce | 4 to 6 inch Seedlings | | |
| 6 to 12 inches | | | |
| 1 to 2 feet | | | |
| PIERIS FLORIBUNDA—Mountain Andromeda | 8 to 12 inches | | |
| 1 to 2 feet | | | |
| Cut-back clumps | | | |
| PINUS STROBUS—White Pine | 4 to 6 feet | | |
| 6 to 8 feet | | | |
| 8 to 10 feet | | | |
| 10 to 12 feet | | | |
| 12 to 15 feet | | | |
| 15 to 20 feet | | | |
| TAXUS CANADENSIS—Canada Yew | 6 to 12 inches | | |
| THUJA OCCIDENTALIS—American Arborvitae | 2 to 3 feet | | |
| 3 to 4 feet | | | |
| 4 to 6 feet | | | |
| 6 to 8 feet | | | |
| TSUGA CANADENSIS—Canada Hemlock | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| 4 to 5 feet | | | |
| 5 to 6 feet | | | |
| 6 to 7 feet | | | |
| 7 to 8 feet | | | |
| 8 to 10 feet | | | |
| 10 to 12 feet | | | |
| TSUGA CAROLINIANA—Carolina Hemlock | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet | | | |
| 4 to 5 feet Heavy | | | |
| 5 to 6 feet | | | |
| 6 to 7 feet | | | |
| 7 to 8 feet | | | |
| RHODODENDRON CATAWBIENSE—Catawba Rhododendron | 4 to 8 inches, Bushy | | |
| 8 to 12 inch Bushy | | | |
| 1 to 2 feet Bushy | | | |
| 1 to 2 feet, Heavy clumps | | | |
| 2 to 3 feet, Heavy clumps | | | |
| 3 to 4 feet, Heavy clumps | | | |
| Cut-back clumps | | | |
| RHODODENDRON CATAWBIENSE COMPACTO | 4 to 6 inches, Bushy | | |
| 6 to 12 inches, Bushy | | | |
| 12 to 18 inches, Heavy clumps | | | |
| RHODODENDRON CAROLINIANUM—Carolina Rhododendron | 1 to 2 feet, clumps | | |
| 2 to 3 feet, Clumps | | | |
| 3 to 4 feet, Clumps | | | |
| Cut-back clumps | | | |
| RHODODENDRON MAXIMUM—Rosebay | 1 to 2 feet, Bushy | | |
| 1 to 2 feet X heavy clumps | | | |
| 2 to 3 feet XX heavy clumps | | | |
| 3 to 4 feet XX heavy clumps | | | |
| 5 to 6 feet XX heavy clumps | | | |
| Cut-back clumps | | | |

HARDY VINES, CLIMBERS AND CREEPERS

| | | | |
|---|------------------|-------|-------|
| AMPELOPSIS QUINQUEFOLIA—Virginia Creeper | Strong collected | | |
| AMPELOPSIS QUINQUEFOLIA ENGELMANNI—Scarlet Virginia Creeper | Collected | | |
| BIGNONIA RADICANS—Trumpet Creeper | 2 to 3 feet | | |
| CELASTRUS SCANDENS—American Bittersweet | 1 to 2 feet | | |
| 2 to 3 feet | | | |
| 3 to 4 feet X Heavy | | | |
| CLEMATIS PANICULATA—Sweet Autumn Clematis | Strong | | |
| CLEMATIS VIRGINIANA—Virgin's Bower | X Strong | | |
| EPIGAEA REPENS—Trailing ARBUTUS | Strong clumps | | |
| GALAX APHYLLA—Galax | X Strong clumps | | |
| GAULTHERIA PROCUMBENS—Wintergreen | X Strong clumps | | |
| IRIS CRISTATA—Crested Iris | X Strong clumps | | |

| | QUANTITY FOR QUOTATION | |
|---|------------------------|-------|
| IRIS VERNA—Vernal Iris | X Strong clumps | |
| LONICERA JAPONICA HALLIANA—Hall's Honeysuckle | 1st size | |
| Second size | | |
| PACHYSANDRA TERMINALIS—Japanese Pachysandra | X Strong | |
| RANUNCULUS REPENS—Creeping Buttercup | X Strong | |
| SEDUM TELEPHOIDES—Wild Live-forever | X Strong | |
| SEDUM TERNATUM—Mountain Stonecrop | Strong clumps | |
| SIHORTIA GALACIFOLIA—Oconee Bells | Strong clumps | |
| VINCA MINOR—Common Periwinkle | Strong | |

HARDY NATIVE FERNS

| | | | |
|---|--------------|-------|-------|
| ADIANTUM PEDATUM—American Maidenhair Fern | X Strong | | |
| ATHYRIUM FILIXFEMINA—Lady Fern | X Strong | | |
| BOTRYCHIUM VIRGINIANUM—Rattlesnake Fern | Strong | | |
| DICKSONIA PUNCTILOBULA—Hay-scented Fern | Heavy clumps | | |
| DRYOPTERIS GOLDIANA—Goldie Fern | Strong | | |
| DRYOPTERIS HEXAGONOPTERA—Winged Woodfern | Strong | | |
| DRYOPTERIS MARGINALIS—Leather Woodfern | X Strong | | |
| DRYOPTERIS SPINULOSA—Toothed Woodfern | X Strong | | |
| DRYOPTERIS THELYPTERIS—Marsh Fern | Strong | | |
| ONOCLEA SENSIBILIS—Sensitive Fern | Strong | | |
| OSMUNDA CINNAMOMEA—Cinnamon Fern | X Strong | | |
| OSMUNDA CLAYTONIANA—Interrupted Fern | X Strong | | |
| OSMUNDA REGALIS—Royal Fern | Strong | | |
| POLYPODIUM VULGARE—Common Polypody | X Strong | | |
| POLYSTICHUM ACROSTICHOIDES—Christmas Fern | X Strong | | |
| PTERETIS NODULOSA—Ostrich Fern | Strong | | |
| PTERIDIUM AQUILINUM—Bracken | Strong | | |

HARDY AQUATIC AND BOG PLANTS

| | | | |
|---|---------------|-------|-------|
| ASTER PUNICEUS—Swamp Aster | Strong clumps | | |
| CALTHA PALUSTRIS—Marsh Marigold | Strong | | |
| CHELONE GLABRA—White Turtlehead | Strong | | |
| CHELONE LYONI—Pink Turtlehead | Strong | | |
| CICUTA MACULATA Spotted Waterhemlock | Strong | | |
| DARLINGTONIA CALIFORNICA—California Pitcher Plant | X Strong | | |
| DIONAEA MUSCIPULA—Venus' Flytrap | Strong | | |
| HEMEROCALLIS FULVA—Tawny Day Lily | Strong | | |
| MERTENSIA VIRGINICA—Virginia Bluebells | First Size | | |
| Second size | | | |
| SARRACENIA FLAVA—Trumpet Pitcher Plant | Strong | | |
| SARRACENIA PURPUREA—Common Pitcher Plant | Strong | | |
| SARRACENIA MINOR—Hooded Pitcher Plant | Strong | | |
| SYMPLOCARPUS FOETIDUS—Skunk-cabbage | X Strong | | |
| VERNONIA NOVEBORACENSIS—Common Ironweed | X Strong | | |

HARDY NATIVE LILIES And BULBOUS PLANTS

| | | | |
|--|---------------------|-------|-------|
| ARISAEMA TRIPHYLLUM—Jack-in-the-Pulpit | Strong | | |
| CONVALLARIA MAJALIS—Lily-of-the-Valley | Strong | | |
| DICENTRA EXIMEA—Fringed Bleeding-Heart | Strong | | |
| Second size | | | |
| ERYTHRONIUM AMERICANUM—American Trout Lily | Flowering Size | | |
| LILIUM CANADENSE—Canada Lily | First Size | | |
| Second size | | | |
| LILIUM CAROLINIANUM—Carolina Lily | First Size | | |
| Second size | | | |
| LILIUM GRAYI—Gray's Lily | First Size | | |
| Second size | | | |
| Third size | | | |
| LILIUM PHILADELPHICUM—Orange-cup Lily | First Size | | |
| Second size | | | |
| LILIUM SUPERBUM—Turk's-cap Lily | X strong First Size | | |
| Strong Second size | | | |
| Strong Third size | | | |
| NARCISSUS—Daffodil | Strong assorted | | |
| TRILLIUM CERNUM—Nodding Trillium | First Size | | |
| TRILLIUM ERECTUM—Purple Trillium | First Size | | |
| Second size | | | |
| TRILLIUM ERECTUM ALBUM—Wax Trillium | First Size | | |
| TRILLIUM GRANDIFLORUM—Snow Trillium | XX Largest | | |
| X Strong First size | | | |
| Flowering Second size | | | |
| TRILLIUM LUTEUM—Yellow Trillium | First Size | | |
| TRILLIUM STYLOSUM—Rose Trillium | First Size | | |
| Second size | | | |
| TRILLIUM UNDULATUM—Painted Trillium | X Strong First Size | | |

HARDY NATIVE ORCHIDS

| | | QUANTITY FOR QUOTATION |
|---|-------------------|------------------------|
| CALOPOGON PULCHELLUS—Grass-pink Orchid | Strong | |
| CYPRIPEDIUM ACAULE—Pink Lady's Slipper | Strong First Size | |
| Flowering Second size | | |
| CYPRIPEDIUM PARVIFLORUM—Small Yellow Lady's Slipper | First Size | |
| CYPRIPEDIUM PUBESCENS—Common Yellow Lady's Slipper | Strong First Size | |
| Flowering Second size | | |
| CYPRIPEDIUM STECTABILE—Showy Lady's Slipper | 1-3 crown plants | |
| 4 to 8 crown Clumpy Plants | | |
| HAEBENARIA CILIARIS—Yellow Finge Orchid | Strong | |

HARDY NATIVE HERBACEOUS PERENNIALS

| | | |
|---|-------------|-------|
| ACONITUM UNCINATUM—Clambering Monkshood | Strong | |
| ACTAEA ALBA—White Baneberry | Strong | |
| ACTAEA RUBRA—Red Baneberry | Strong | |
| AQUILEGIA CANADENSIS—American Columbine | Strong | |
| ARUNCUS SYLVESTER—Goat's Beard | X Strong | |
| ASARUM CANADENSE—Canada Wild Ginger | Strong | |
| ASARUM SHUTTLEWORTHII—Mottled Wild Ginger | Strong | |
| ASCLEPIAS TUBEROSA—Butterfly Weed | Strong | |
| Second size | | |
| ASTILBE BITERNATA—False Goatsbeard | Strong | |
| BAPTISIA TINCTORIA—Yellow Wild-Indigo | X Strong | |
| CHAMAELIRIUM LUTEUM—Fairywand | Strong | |
| CIMICIFUGA RACEMOSA—Cohosh Bugbane | X Strong | |
| CLINTONIA BOREALIS—Bluebead | Strong | |
| CLINTONIA UMBELLULATA—Speckled Clintonia | Strong | |
| COREOPSIS LANCEOLATA—Lance Coreopsis | Strong | |
| DISPORUM LANUGINOSUM—Fairy Bells | Strong | |
| DODECATHEON MEADIA—Common Shooting-Star | Strong | |
| EPILOBIUM ANGUSTIFOLIUM—Blooming Sally | Strong | |
| EUPATORIUM PURPUREUM—Joe-Pye-Weed | X Strong | |
| EUPHORBIA COROLLATA—Flowering Spurge | Strong | |
| GENTIANA ANDREWSII—Closed Gentian | Strong | |
| GILLENIA TRIFOLIATA—Bowman's Root | Strong | |
| HELENIUM AUTUMNALE—Common Sneezeweed | X Strong | |
| HEPATICACUTILOBA—Sharp-lobed Hepatica | X Strong | |
| HEPATICATRILOBA—Round-lobed Hepatica | Strong | |
| HEUCHERA AMERICANA—American Alum-root | X Strong | |
| HEUCHERAVILLOSA—Hairy Alum-root | X Strong | |
| HOUSTONIA PURPUREA—Mountain Houstonia | Strong | |
| LIATRIS SPICATA—Spike Grayfeather | Strong | |
| LOBELIA CARDINALIS—Cardinal Flower | Strong | |
| LOBELIA SYPHILITICA—Large Blue Lobelia | Strong | |
| PANAX QUINQUEFOLIUM—American Ginseng | XX Largest | |
| Strong First size | | |
| PHILOX DIVARICATA—Blue Philox | Strong | |
| PODOPHYLLUM PELTATUM—Common May Apple | Strong | |
| POLYGONATUM BIFLORUM—Dwarf Solomon's Seal | Strong | |
| POLYGONATUM COMMUTATUM—Great Solomon's Seal | X Strong | |
| SANGUINARIA CANADENSIS—Bloodroot | Strong | |
| SMILACINA RACEMOSA—False Solomon's Seal | Strong | |
| THALICTRUM DIOICUM—Early Meadowrue | Strong | |
| THALICTRUM POLYGAMUM—Tall Meadowrue | Strong | |
| THERMOPSIS CAROLINIANA—Carolina Thermopsis | Extra Heavy | |
| TRADESCANTIA VIRGINIANA—Virginia Spiderwort | Strong | |
| UVULARIA GRANDIFLORA—Big Merrybells | Strong | |
| VERONICA VIRGINICA—Culver's Physic | Strong | |
| VIOLA BLANDA—Sweet White Violet | Strong | |
| VIOLA CANADENSIS—Canada Violet | Strong | |
| VIOLA CUCULLATA—Blue Marsh Violet | Strong | |
| VIOLA HASTATA—Halberd-leaved Yellow Violet | Strong | |
| VIOLA PEDATA—Bird's-foot Violet | Strong | |
| VIOLA PEDATA BICOLOR—Two-color Bird's-foot Violet | Strong | |
| VIOLA ROTUNDIFOLIA—Round-leaf Yellow Violet | Strong | |
| VIOLA SAGITTATA—Arrowleaf Violet | Strong | |
| YUCCA FLACCIDATA—Weakleaf Yucca | Strong | |
| YUCCA GLORIOSA—Monndbily Yucca | Extra Heavy | |

We specialize in Rock Garden Plants.

Inviting you to visit our Nurseries, and an opportunity to figure on your requirements.

ADDRESS

GARDENS OF THE BLUE RIDGE
E. C. ROBBINS, NURSERYMAN,
ASHFORD, McDOWELL COUNTY
NORTH CAROLINA